






SUBMERSIBLES AND ELECTRIC




Model:	J14MC	Disch sizes:	10" & 12"	Efficiency Correction		Bowl Performance curve based on pumping clear, non-aerated water. Rated point only is guaranteed. Curves represent single stage performance based on test of multi-stage bowl assembly. Efficiency correction is required for lesser stages
Curve No.:	1511176241	Shaft Dia:	1.938"	1 Stage	-2	
Rev.:	NOV/15/17	Bowl Lateral:	TBD	2 Stage	-1	
Imp. Type:	Closed	Bowl O.D.:	13.915"	3 Stage	0	
Imp. Diam.:	9.820"	K-Factor:	13.00 Lbs/Ft	4 Stage	0	
RPM:	1770	Ns:	2990			
Stage Qty.:	1	Max P.S.I.:	340			





SUBMERSIBLES AND ELECTRIC

Model:	J14HO	Disch sizes:	10" & 12"	Efficiency Correction		Bowl Performance curve based on pumping clear, non-aerated water. Rated point only is guaranteed. Curves represent single stage performance based on test of multi-stage bowl assembly. Efficiency correction is required for lesser stages
Curve No.:	-	Shaft Dia:	1.938"	1 Stage	-1	
Rev.:	-	Bowl Lateral:	TBD	2 Stage	-0.5	
Imp. Type:	Open	Bowl O.D.:	13.915"	3 Stage	0	
Imp. Diam.:	9.820"	K-Factor:	16.20 Lbs/Ft	4 Stage	0	
RPM:	1770	Ns:	2840			
Stage Qty.:	1	Max P.S.I.:	340			





SUBMERSIBLES AND ELECTRIC

Model:	J14HC	Disch sizes:	10" & 12"	Efficiency Correction		Bowl Performance curve based on pumping clear, non-aerated water. Rated point only is guaranteed. Curves represent single stage performance based on test of multi-stage bowl assembly. Efficiency correction is required for lesser stages
Curve No.:	2111176246	Shaft Dia:	1.938"	1 Stage	-1	
Rev.:	NOV/21/17	Bowl Lateral:	TBD	2 Stage	-0.5	
Imp. Type:	Closed	Bowl O.D.:	13.915"	3 Stage	0	
Imp. Diam.:	9.820"	K-Factor:	16.20 Lbs/Ft	4 Stage	0	
RPM:	1770	Ns:	2840			
Stage Qty.:	1	Max P.S.I.:	340			

