



3 Inch Submersible Pump


The SEI LSQ 3 inch pumps integrates technology and cutting edge manufacturing techniques to deliver a high quality pump that will consistently exceed performance expectations.

Features:


- 3" Delrin® impellers
- All stainless steel housing
- 2 piece motor/liquid end design
- Powered by industry's best UltraTorque Motor
- True 3" pump size, max. diameter of 2.95 inches
- 3450 RPM Motor for trouble free operation

Performance Table 2 wire 115 v and 230 v 60Hz	SEI Model Number	Motor Type (Sold as motor/pump combos only)		H.P.	K.W.	Stages	n=3450 rpm									
		Discharge in GPM														
		115 Volt	230 Volt				2.5	5	7.5	10	12.5	15	17.5	20	22.5	25
		22LSQ10	Ultra10-2W1				Ultra10-2w2 Ultra10-2w3	1.0	0.75	13	232	224	220	214	201	182
22LSQ12	Ultra15-2W1	Ultra15-2w2 Ultra15-2w3	1.50	1.10	17	310	300	290	279	259	241	220	180	120	92	
22LSQ15	Ultra15-2W1	Ultra15-2w2 Ultra15-2w3	1.50	1.10	20	361	350	342	328	318	290	272	240	182	124	
15LSQ10	Ultra10-2W1	Ultra10-2w2 Ultra10-2w3	1.0	0.75	20	391	358	321	242	142	20					
15LSQ12	Ultra15-2W1	Ultra15-2w2 Ultra15-2w3	1.50	1.10	22	419	390	356	280	181	31					
15LSQ15	Ultra15-2W1	Ultra15-2w2 Ultra15-2w3	1.50	1.10	26	490	461	421	324	208	60					

3 Inch Shallow Set Pumps



3 Inch Deep Set Pumps



Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338
888-938-3783
www.SEIpumps.com




SEI 4 INCH SUBMERSIBLE PUMPS



NSF372
COMPLIANT
(CERTIFICATION PENDING)

5 GPM STAINLESS STEEL PUMPS

NP04-05 Series (5 GPM)



5 GPM

SEI Part Number	Stages	Dimensions (In)				HP	GPM	H = Total Dynamic Head					
		A	B	C	D			0	3	4	5	7	8
NP04-05-09-005	9	1-1/4"	3.44	3.86	12.0	0.5	H [Feet]	285	246	213	171	125	69
NP04-05-12-005	12				14.1	0.5		374	322	279	223	161	92
NP04-05-15-007	15				16.2	0.75		472	407	361	292	213	128
NP04-05-20-010	20				19.6	1		633	554	486	394	289	174
NP04-05-26-015	26				25.3	1.5		837	719	623	499	367	223
NP04-05-33-020	33				29.8	2		1050	919	804	656	476	269



Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338
888-938-3783
www.SEIpumps.com





SEI 4 INCH SUBMERSIBLE PUMPS



NSF372
COMPLIANT
(CERTIFICATION PENDING)

7 GPM STAINLESS STEEL PUMPS

NP04-07 Series (7 GPM)



7 GPM

SEI Part Number	Stages	Dimensions (In)				HP	Q [GPM]	Q=Delivery								
		A	B	C	D			H = Total Dynamic Head								
								0	2	4	6	7	8	10	12	14
NP04-07-07-005	7	1.5"	3.44	3.86	9.5	0.5	H [Feet]	215	206	190	167	154	140	108	66	19
NP04-07-10-005	10				12.0	0.5		303	293	268	230	213	193	146	88	22
NP04-07-13-007	13				14.5	0.75		398	378	348	305	276	248	187	121	36
NP04-07-17-010	17				18.0	1		511	486	436	380	348	307	220	125	21
NP04-07-22-015	22				22.2	1.5		657	628	573	493	456	415	304	174	36
NP04-07-27-020	27				26.5	2		815	785	716	615	568	521	393	233	48
NP04-07-34-030	34				32.5	3		1038	998	914	787	730	646	492	287	79



Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338
888-938-3783
www.SEIpumps.com




SEI 4 INCH SUBMERSIBLE PUMPS



NSF372
COMPLIANT
(CERTIFICATION PENDING)

10 GPM STAINLESS STEEL PUMPS

NP04-10 Series (10 GPM)



10 GPM

SEI Part Number	Stages	Dimensions (In)				HP	GPM	H = Total Dynamic Head								
		A	B	C	D			0	5	7	8	10	13	16	18	
NP04-10-05-005	5	1-1/4"	3.44	3.86	9.3	0.5	H [Feet]	157	144	138	131	125	118	95	62	30
NP04-10-07-005	7				10.7	0.5		220	197	190	180	171	161	128	89	43
NP04-10-08-005	8				11.7	0.5		259	235	223	209	180	138	128	83	48
NP04-10-10-007	10				12.8	0.75		315	292	279	266	253	233	190	131	62
NP04-10-12-010	7				14.1	1		377	348	335	322	302	279	223	154	75
NP04-10-17-015	17				17.6	1.5		551	522	505	482	453	420	335	230	115
NP04-10-20-020	20				19.6	2		640	594	581	551	518	479	387	269	131
NP04-10-27-030	27				26.0	3		886	837	810	778	732	686	548	364	174
NP04-10-34-040	34				29.8	4		1112	1050	1017	971	919	850	686	479	230
NP04-10-42-050	42				36.1	5		1352	1276	1230	1175	1109	1033	846	610	312



Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338
888-938-3783
www.SEIpumps.com




SEI 4 INCH SUBMERSIBLE PUMPS



NSF372
COMPLIANT
(CERTIFICATION PENDING)

13 GPM STAINLESS STEEL PUMPS

NP04-13 Series (13 GPM)



13 GPM

SEI Part Number	Stages	Dimensions (In)				HP	GPM	H = Total Dynamic Head							
		A	B	C	D			0	8	9	11	13	16	18	21
NP04-13-05-005	5	1-1/4"	3.44	3.86	9.3	0.5	H [Feet]	154	138	135	128	112	92	69	39
NP04-13-07-007	7				10.7	0.75		220	200	194	187	164	135	102	62
NP04-13-10-010	10				12.8	1		308	279	270	256	226	190	148	92
NP04-13-12-015	12				14.1	1.5		381	358	348	335	299	256	197	125
NP04-13-17-020	17				17.6	2		541	505	490	469	420	358	272	174
NP04-13-21-030	21				20.4	3		669	633	615	591	531	456	361	236
NP04-13-28-040	28				26.7	4		883	833	807	774	692	591	466	315
NP04-13-35-050	35				31.6	5		1073	1024	997	958	866	732	574	384



Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338
888-938-3783
www.SEIpumps.com




SEI 4 INCH SUBMERSIBLE PUMPS



NSF372
COMPLIANT
(CERTIFICATION PENDING)

18 GPM STAINLESS STEEL PUMPS

NP04-18 Series (18 GPM)



18 GPM

SEI Part Number	Stages	Dimensions (In)				HP	GPM	H = Total Dynamic Head									
		A	B	C	D			0	9	11	13	16	18	21	24	26	29
NP04-18-05-005	5	1-1/4"	3.44	3.86	10.1	0.5	H [Feet]	148	135	131	118	115	102	89	69	49	30
NP04-18-06-007	6				11.0	0.75		184	174	171	161	148	135	121	98	75	52
NP04-18-08-010	8				12.7	1		246	230	223	213	200	180	161	135	105	72
NP04-18-11-015	11				15.2	1.5		341	315	308	295	276	253	223	190	151	108
NP04-18-14-020	14				17.8	2		436	404	394	377	354	325	289	246	200	148
NP04-18-19-030	19				22.0	3		584	538	525	502	469	430	384	328	266	200
NP04-18-25-040	25				28.5	4		781	712	699	669	630	577	518	446	361	266
NP04-18-30-050	30				32.6	5		928	853	833	794	748	689	620	538	443	335



Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338
888-938-3783
www.SEIpumps.com




SEI 4 INCH SUBMERSIBLE PUMPS



NSF372
COMPLIANT
(CERTIFICATION PENDING)

25 GPM STAINLESS STEEL PUMPS

NP04-25 Series (25 GPM)



25 GPM

SEI Part Number	Stages	Dimensions (In)				HP	GPM	H = Total Dynamic Head							
		A	B	C	D			0	13	16	18	21	24	26	32
NP04-25-04-005	4	1-1/4"	3.44	3.86	9.7	0.5	H [Feet]	118	108	102	95	89	75	66	39
NP04-25-05-007	5				10.7	0.75		151	138	131	125	115	105	92	62
NP04-25-07-010	7				12.6	1		207	190	180	171	157	141	121	82
NP04-25-09-015	9				14.6	1.5		269	249	240	226	210	190	171	115
NP04-25-11-020	11				16.5	2		328	302	290	276	256	233	210	148
NP04-25-15-030	15				20.4	3		446	410	397	377	351	328	295	226
NP04-25-20-040	20				26.7	4		600	564	547	518	486	449	400	302
NP04-25-26-050	26				34.0	5		768	702	676	643	600	554	499	367



Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338
888-938-3783
www.SEIpumps.com




SEI 4 INCH SUBMERSIBLE PUMPS



NSF372
COMPLIANT
(CERTIFICATION PENDING)

35 GPM STAINLESS STEEL PUMPS

NP04-35 Series (35 GPM)



35 GPM

SEI Part Number	Stages	Dimensions (In)				HP	GPM	H = Total Dynamic Head									
		A	B	C	D			0	16	18	21	24	26	32	37	42	48
NP04-35-06-010	6	2"	3.44	3.86	14.1	1	H [Feet]	171	144	141	138	131	125	108	89	59	30
NP04-35-08-015	8				16.6	1.5		230	197	190	182	175	164	141	115	79	39
NP04-35-10-020	10				19.0	2		299	253	246	236	226	213	190	157	105	56
NP04-35-14-030	14				23.9	3		420	358	348	335	325	308	272	230	167	95
NP04-35-18-040	18				28.8	4		525	456	440	423	404	384	341	292	220	131
NP04-35-22-050	22				35.2	5		656	558	541	522	505	482	433	364	276	164
NP04-35-24-055	24				37.6	5.5		722	620	597	581	558	531	486	410	312	180
NP04-35-34-075	34				49.5	7.5		1010	863	837	807	774	738	656	548	400	226
NP04-35-43-100	43	51.9	10	1293	1112	1076	1040	1001	958	856	722	548	295				



Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338
888-938-3783
www.SEIpumps.com




SEI 4 INCH SUBMERSIBLE PUMPS



NSF372
COMPLIANT
(CERTIFICATION PENDING)

40 GPM STAINLESS STEEL PUMPS

NP04-40 Series (40 GPM)



40 GPM

SEI Part Number	Stages	Dimensions (in)				HP	GPM	H = Total Dynamic Head												
		A	B	C	D			0	18	21	24	26	32	37	42	48	53	66		
NP04-40-05-015	5	2"	3.44	3.86	12.8	1.5	H [Feet]	151	138	135	131	128	121	115	108	95	82	46		
NP04-40-06-020	6				14.0	2		180	161	157	154	153	148	138	125	115	98	56		
NP04-40-08-030	8				16.5	3		243	226	223	220	217	207	197	184	164	141	79		
NP04-40-11-040	11				20.1	4		328	299	292	288	282	272	256	240	217	190	98		
NP04-40-14-050	14				23.8	5		423	387	381	377	371	354	338	318	295	266	157		
NP04-40-15-055	15				25.1	5.5		456	420	415	410	404	387	371	344	318	289	180		
NP04-40-21-075	21				33.8	7.5		636	584	574	564	554	531	505	476	440	394	223		





Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338
888-938-3783
www.SEIpumps.com



SEI 4 INCH SUBMERSIBLE PUMPS

55 GPM STAINLESS STEEL PUMPS

NP04-55 Series (55 GPM)



55 GPM

SEI Part Number	Stages	Dimensions (in)				HP	GPM													
		A	B	C	D		0	21	24	26	32	37	42	48	53	58	63	69	74	79
NP04-55-05-015	5	2"	3.44	3.86	17.0	1.5	H = Total Dynamic Head													
NP04-55-07-020	7				21.1	2	138	125	121	118	112	105	98	92	82	72	59	46	30	16
NP04-55-09-030	9				25.2	3	194	171	167	164	157	151	141	131	118	102	85	69	49	26
NP04-55-15-050	15				37.5	5	420	371	365	358	344	328	308	289	262	236	207	167	121	66
NP04-55-16-055	16				39.6	5.5	449	400	392	384	367	351	331	312	289	259	223	180	131	75
NP04-55-22-075	22				53.0	7.5	627	554	545	534	512	489	459	430	387	348	299	246	180	115
NP04-55-29-100	29				67.2	10	823	738	728	715	686	656	623	581	528	472	410	331	246	157



Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338

888-938-3783

www.SEIpumps.com




SEI 4 INCH SUBMERSIBLE PUMPS



NSF372
COMPLIANT
(CERTIFICATION PENDING)

60 GPM STAINLESS STEEL PUMPS

NP04-60 Series (60 GPM)



60 GPM

SEI Part Number	Stages	Dimensions (In)				HP	GPM	H = Total Dynamic Head												
		A	B	C	D			0	26	32	37	42	48	53	58	63	69	74	79	90
NP04-60-04-015	4	2"	3.44	3.86	14.9	1.5	H [Feet]	118	105	102	98	92	85	79	72	62	56	46	39	20
NP04-60-05-020	5				16.9	2		151	135	130	124	119	112	105	95	85	75	66	56	30
NP04-60-07-030	7				21.0	3		210	187	180	174	167	157	148	138	125	112	98	82	49
NP04-60-09-040	9				25.1	4		269	236	228	220	210	197	184	171	154	138	121	105	59
NP04-60-11-050	11				29.2	5		328	295	285	275	262	249	233	218	197	177	157	135	79
NP04-60-12-055	12				31.4	5.5		361	322	312	302	289	276	258	240	220	197	175	144	85
NP04-60-17-075	17				43.0	7.5		515	459	446	430	413	390	367	341	312	279	240	200	115



Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338
888-938-3783
www.SEIpumps.com




SEI 4 INCH SUBMERSIBLE PUMPS



NSF372
COMPLIANT
(CERTIFICATION PENDING)

80 GPM STAINLESS STEEL PUMPS

NP04-80 Series (80 GPM)



80 GPM

SEI Part Number	Stages	Dimensions (In)				HP	GPM	H = Total Dynamic Head														
		A	B	C	D			0	42	48	53	58	63	69	74	79	90	100	111	122		
NP04-80-05-030	5	2"	3.44	3.86	18.6	3	H [Feet]	144	118	114	110	105	101	95	90	85	75	62	46	33		
NP04-80-07-040	7				23.9	4		200	164	160	154	148	142	137	131	125	108	92	75	59		
NP04-80-09-050	9				29.3	5		262	213	207	199	190	184	177	169	161	141	118	98	75		
NP04-80-10-055	10				32.0	5.5		289	240	232	223	215	207	197	187	177	157	135	112	89		
NP04-80-14-075	14				42.6	7.5		413	341	331	318	305	292	279	262	249	220	194	157	125		



Submersibles and Electric, Inc.
2664 S Litchfield Rd • Goodyear, AZ • 85338
888-938-3783
www.SEIpumps.com